

Power. Speed. Resilience



ATF DEXRON II (D)

MINERAL

Magic Plus ATF Dexron II (D) is transmission fluid recommended for use in passenger cars and light trucks automatic transmissions that require a GM Dexron II (D) or earlier generation fluid. It helps reduce transmission "chatter" assuring a smooth and quiet operation at all speeds under any working condition. It provides optimal oxidation and thermal stability, friction control, cleanliness, load-carrying ability, wear, and corrosion protection to ensure the longest life of your transmission.

Features & Benefits:

- Very high viscosity index linked with an excellent viscosity stability in operation
- Very low pour point
- Very good thermal stability
- Excellent resistance to oxidation
- Friction properties specific to the requirements of GENERAL MOTORS Hydramatic

Applications:

Suitable for automatic gearboxes of passenger cars, vans, light duty truck and buses where the manufacturer recommends an ATF GM Dexron II (D).

Specifications, Approvals & Recommendations: (Meets / Exceeds)

- GM DEXRON II (D) / II (E)
- ALLISON TES 389, ALLISON TES 228(C4)
- FORD ESP-M2C138-CJ / ESP-M2C166-H
- MAN 339 TYPE L1/L2/Z1/V1
- CHRYSLER +3
- MITSUBISHI SP / SP2/ BTR
- **TASA**
- VOITH H55.6335
- CAT TO-2

- VOITH H55.6335
- VOLVO CE 97340/41
- MB 236.1/236.5/236.7236.8
- ZF TE-ML-03D / 05 / 21L / 09 / 11A / 11B / 14A / 17C
- TOYOTA TII/2
- BMW 81 22 9 400 272/81 22 9 400 275
- BMW 81 22 9 407 738
- OPEL 19 40 700 / 19 40 707

Technical Data:

Parameters	ASTM	Unit	Typical Results
Viscosity @ 104 °F / 40 °C	D-7042	cSt	34
Viscosity @ 212 °F / 100 °C	D-7042	cSt	7
Viscosity Index	D-2270		170
Density @ 60 °F / 15 °C	D-4052	g/cm³	0.868
Flash Point (min)	D-92	°C	200
Pour Point (min)	D-97	°C	-42

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil into drains or the environment. Dispose to an authorized used oil collection point. This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. For further Information on Safety Guidelines please refer to MSDS available on our website magicplusoil.net

All statements, information, and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Magic Plus and its affiliates assume legal responsibility.





